

Amendments to the Claims:

Following is a complete listing of the claims pending in the application, as amended:

1. (Previously Presented) One or more computer-readable media storing a computer program that, when executed by one or more processors on a mobile computer, causes the one or more processors to:

display a subset of a plurality of steps in an order to be performed by a user;

alter an appearance of a current step in the subset of steps that needs to be performed by the user to distinguish the current step from other steps in the subset;

receive information about a current context of the user from a context awareness component that receives sensed information from multiple sources and that mediates amongst the multiple sources to build a model of the current context of the user;

in response to the received information about the current context of the user, alter one or more of the subset of steps that needs to be performed by the user by altering multiple interaction elements that affect interactions with the user for the current step, the interaction elements including:

instructions associated with handling the current step;

presentation of instructions associated with handling the current step;

available choices which are used to handle the current step;

methods that a user may use to handle the current step; and

means by which the user provides input to complete the current step;

allow the user to input data corresponding to the current step;

when input data is not received from the user for the current step and information received from the context awareness component indicates that the user is currently distracted, further altering one or more of the interaction elements for the current step in such a manner as to be less cognitively burdensome for the user;

scroll, in response to user input of data corresponding to the current step, the plurality of steps so that a new subset of the plurality of steps is presented to the user; and

amend the step for which the data input was received from the user with indications of that data input.

2. (Original) One or more computer-readable media as recited in claim 1, wherein the computer program further causes the one or more processors to:

alter, in response to user input of data corresponding to the current step, the appearance of another step as necessary to identify the new current step in the subset of steps that needs to be performed by the user.

3. (Original) One or more computer-readable media as recited in claim 1, wherein altering the appearance of the current step comprises marking the current location with a ball.

4. (Original) One or more computer-readable media as recited in claim 1, wherein altering the appearance of the current step comprises displaying the current step differently than other steps in the subset.

5. (Original) One or more computer-readable media as recited in claim 1, wherein altering the appearance of the current step comprises replacing the current step with a set of one or more input options for the current step.

6. (Original) One or more computer-readable media as recited in claim 1, wherein altering the appearance of the current step comprises superimposing, on the current step, a set of one or more input options for the current step.

7. (Original) One or more computer-readable media as recited in claim 1, wherein the computer program further causes the one or more processors to:

replace, in the subset, the display of the current step with a display of the input data.

8. (Original) One or more computer-readable media as recited in claim 1, wherein the computer program further causes the one or more processors to:

display a current processing marker that identifies which step in the subset of steps is currently being processed by the one or more processors.

9. (Original) One or more computer-readable media as recited in claim 1, wherein the one or more computer-readable media comprise a computer memory of a wearable computer.

10. (Currently Amended) A method comprising:
displaying a list of items to be handled by a user in a particular order;
identifying one item in the list of items that is a current item;
receiving information about a modeled current context of the user;
in response to the received information about the modeled current context of the user,
automatically determining one or more of multiple elements to alter regarding interactions with
the user and altering the determined elements, the multiple elements including:
instructions associated with handling the current item;
presentation of instructions associated with handling the current item;
available choices which are used to handle the current item;
methods that a user may use to handle the current item; and
means by which the user provides input to complete the current item;
receiving a user input corresponding to the current item; and
updating, in response to receiving the user input, the identification of the one item that is
the current item to indicate the next item in the list of items as the current item.

11. (Original) A method as recited in claim 10, wherein displaying the list of items comprises displaying at least one item corresponding to a task that has already been performed and at least one item corresponding to a task that still needs to be performed by the user.

12. (Original) A method as recited in claim 10, wherein displaying the list of items comprises displaying, after the user input is received, the user input in place of the corresponding item.

13. (Original) A method as recited in claim 10, wherein displaying the list of items comprises displaying only a subset of the list of items at any given time.

14. (Original) A method as recited in claim 13, further comprising scrolling through the list of items to display different subsets as items in the list are handled by the user.

15. (Original) A method as recited in claim 10, further comprising displaying a current processing marker identifying an item in the list of items corresponding to a current user input being processed.

16. (Original) A method as recited in claim 10, wherein the list of items comprises a list of tasks to be completed by the user, and wherein handling of an item by the user comprises the user completing the task.

17. (Original) A method as recited in claim 16, wherein the list of tasks comprises a list of prompts corresponding to data to be entered into the computer by the user.

18. (Original) A method as recited in claim 10, wherein the list of items comprises a list of prompts of words to be spoken by the user, and wherein handling of an item by the user comprises speaking one or more words corresponding to the prompt.

19. (Previously Presented) One or more computer-readable memories containing a computer program that is executable by a processor to perform a method comprising:

displaying a list of items to be handled by a user in a particular order;

identifying one item in the list of items that is a current item;

receiving information about a current context of the user;

in response to the received information about the current context of the user, altering multiple of a plurality of interaction elements for the current item based on the current context, the interaction elements including:

instructions associated with handling an item;

presentation of instructions associated with handling an item;

available choices which are used to handle an item;

methods that a user may use to handle an item of the list; and

mechanisms by which the user provides input to complete an item;

receiving a user input corresponding to the current item; and
updating, in response to receiving the user input, the identification of the one item that is the current item to indicate the next item in the list of items as the current item.

20-34. (Canceled.)

35. (Previously Presented) A system comprising:
one or more output devices;
a user interface component, coupled to an output device, causing a user interface to be output on the output device;
a module that provides information about the current context of the user to the user interface component;
wherein the user interface includes a list portion in which a list of a plurality of items to be handled by a user are output;
wherein the user interface further includes a current location marker identifying one of the items in the list as the current item that needs to be handled by the user;
wherein the user interface component further automatically updates the current location marker to identify a new item in the list in response to the user handling the current item in the list;
wherein the user interface component, in response to the received information about the current context of the user, alters one or more of the following elements:
instructions associated with handling an item;
presentation of instructions associated with handling the item;
available choices which are used to handle the item;
methods that a user may use to handle an item of the list; and
means by which the user provides input to complete the item; and
wherein the determination of which elements to alter is in response to the received information about the current context of the user.

36. (Original) A system as recited in claim 35, wherein the user interface component further replaces, after the user has handled the current item, a user input in place of the current item.

37. (Original) A system as recited in claim 35, wherein the user interface includes only a subset of the list of the plurality of items at any given time.

38. (Original) A system as recited in claim 37, wherein the user interface component further scrolls through the list of items to display different subsets as items in the list are handled by the user.

39. (Original) A system as recited in claim 35, wherein the user interface component further displays, as part of the user interface, a current processing marker identifying an item in the list that is currently being processed by the system.

40. (Original) A system as recited in claim 35, wherein the list of a plurality of items comprises a list of a plurality of tasks to be completed by the user, and wherein handling of an item by the user comprises the user completing the task.

41. (Original) A system as recited in claim 40, wherein the list of tasks comprises a list of prompts corresponding to data to be entered into the system by the user.

42. (Original) A system as recited in claim 40, wherein the user interface component is implemented in software.

43-59. (Canceled.)

60. (Previously Presented) The method of claim 10 wherein the identifying comprises superimposing, on the display of the current item in the list, a set of one or more input options corresponding to the item.

61. (Previously Presented) The method of claim 60 wherein the receiving of the user comprises receiving, as the input corresponding to the current item, one of the input options from the set of one or more input options.

62. (Previously Presented) The method of claim 10 wherein the particular order is altered in response to the receiving of the information about the current context of the user.

63. (Previously Presented) The method of claim 10 wherein the determining of which of the multiple elements to alter is based at least in part on information about the current context of the user.

64. (Previously Presented) The method of claim 63 wherein the current context of the user includes an estimate of cognitive availability of the user derived at least in part from user response time.

65. (Previously Presented) The method of claim 10 including, after receiving current context information for the user regarding a current ability of the user to handle items, further altering the multiple elements to reduce a cognitive burden of handling items.

66. (Previously Presented) The method of claim 65 wherein the further altering is not performed if the user acts promptly.

67. (Previously Presented) The method of claim 10 the determining of which of the multiple elements to alter is performed based on the current context so as place minimal cognitive burden on the user.

68. (Previously Presented) The method of claim 10 wherein information about the item for which the user input was received is amended with indications of the user input.

69. (Previously Presented) The method of claim 10 wherein the displaying and presentation may be performed using any appropriate means of communicating with the user including audio and/or video.

70. (Previously Presented) The method of claim 10 wherein further alteration is done to amend a modality of user input after receiving current context information for the user regarding an ability of the user to handle items using different modalities.

71. (Previously Presented) The method of claim 10 wherein further alteration is done to amend a modality of display or presentation after receiving current context information for the user regarding an ability of the user to handle items using different modalities.

72. (Previously Presented) The method of claim 10 wherein the determining of which of the multiple elements to alter is performed so as to allow the user to recognize presented user input that will handle the item.

73. (Previously Presented) The method of claim 10 wherein the current context of the user is determined by a remote module based on sensed information from multiple sources about the user and/or about an environment of the user.

74. (Previously Presented) A method comprising:
displaying a list of items to be handled by a user in a particular order;
identifying one item in the list of items that is a current item;
receiving information about a current context of the user;
altering, in response to receiving information about the current context of the user, available choices which are used to handle the item;
receiving a user input corresponding to the current item; and
updating, in response to receiving the user input, the identification of the one item that is the current item to indicate the next item in the list of items as the current item.

75. (Previously Presented) A method comprising:
displaying a list of items to be handled by a user in a particular order;
identifying one item in the list of items that is a current item;
receiving information about a current context of the user;
altering, in response to receiving information about the current context of the user,
presentation of instructions associated with handling the item;
receiving a user input corresponding to the current item; and
updating, in response to receiving the user input, the identification of the one item that is
the current item to indicate the next item in the list of items as the current item.

76. (Previously Presented) A method comprising:
displaying a list of items to be handled by a user in a particular order;
identifying one item in the list of items that is a current item;
receiving information about a current context of the user;
altering, in response to receiving information about the current context of the user,
methods which a user may use to handle an item of the list;
receiving a user input corresponding to the current item; and
updating, in response to receiving the user input, the identification of the one item that is
the current item to indicate the next item in the list of items as the current item.

77. (Previously Presented) A method comprising:
displaying a list of items to be handled by a user in a particular order;
identifying one item in the list of items that is a current item;
receiving information about a current context of the user;
altering, in response to receiving information about the current context of the user,
mechanisms by which the user provides input to complete the item;
receiving a user input corresponding to the current item; and
updating, in response to receiving the user input, the identification of the one item that is
the current item to indicate the next item in the list of items as the current item.

78. (Previously Presented) A method comprising:
displaying a list of items to be handled by a user in a particular order;
identifying one item in the list of items that is a current item;
receiving information about a current context of the user;
altering, in response to receiving information about the current context of the user,
instructions to the user associated with handling items;
receiving a user input corresponding to the current item; and
updating, in response to receiving the user input, the identification of the one item that is
the current item to indicate the next item in the list of items as the current item.

79. (Previously Presented) A computer-readable medium whose contents cause a
computing device to perform a method, comprising:
displaying a list of items to be handled by a user in a particular order;
identifying one item in the list of items that is a current item;
receiving information about a current context of the user;
altering, in response to the receiving information about the current context of the user,
one or more of the following elements:
instructions associated with handling an item;
presentation of instructions associated with handling the item;
available choices which are used to handle the item;
methods which a user may use to handle an item of the list; and
mechanisms by which the user provides input to complete the item;
wherein the determination of which elements to alter is in response to the received
information about the current context of the user;
receiving a user input corresponding to the current item; and
updating, in response to receiving the user input, the identification of the one item that is
the current item to indicate the next item in the list of items as the current item.

80. (Previously Presented) A computing device with output devices, comprising:
a first module configured to display a list of items to be handled by a user in a particular
order and to identify one item in the list of items that is the current item;

a second module configured to receive information about the current context of the user and to alter, in response to the receiving information about the current context of the user, one or more of the following elements:

- instructions associated with handling an item;
- the presentation of instructions associated with handling the item;
- the available choices which are used to handle the item;
- the methods which a user may use to handle an item of the list; or
- the means by which the user provides input to complete the item;

wherein the determination of which elements to alter is in response to the received information about the current context of the user; and

a third module configured to receive a user input corresponding to the current item, and to update, in response to receiving the user input, the identification of the one item that is the current item to indicate the next item in the list of items as the current item.

81. (Previously Presented) The computing device of claim 80 wherein the computing device is a wearable computer.